




Your Fencing Partner



Product Catalog

Woven Wire

PAGES 2-8

Wire Fence

PAGES 9-11

Fence Accessories

PAGES 11-13

FastFencer

PAGES 14-15

Bull Barn Fence Factory manufactures fence and fencing products. We distribute our high-quality products to our dealers and installers across the United States.

470 East Brown Street
Blairsville, PA 15717


Office: 724-675-8296
BullBarnFence.com

Monday-Friday: 8:00-5:00
Visit us on Facebook



Fixed Knot

Bull Barn Fixed Knot fence boasts maximum resistance to impact. This knot is twisted around the vertical and horizontal lines, stabilizing and strengthening both. When you need maximum strength for animal pressure, keeping livestock in or keeping predators out, Fixed Knot holds strong.



**HIGH-TENSILE
CLASS 3
GALVANIZED
12.5 GAUGE**

Fixed Knot

Code	Item	Length	Per Pallet	Weight	Other Roll Sizes
6143	FK 7/24/6	330'	8	125	*500', 600'
6130	FK 7/35/6	330'	6	138	
6131	FK7/35/12	330'	9	99	*660'
6135	FK7/35/18	330'	9	87	
6136	FK7/35/24	330'	16	80	
6122	FK8/42/3	330'	6	260	*200'
6005	FK8/42/6	330'	6	165	*500'
6120	FK 8/42/12	330'	9	118	
6003	FK9/49/6	330'	6	192	
6004	FK9/49/12	330'	9	135	*660'
6006	FK10/60/6	330'	6	219	*660'
6113	FK13/48/3	330'	4	375	*200'
6001	FK13/48/6	330'	6	243	*500'
6110	FK13/48/12	330'	9	179	*660'
6102	FK15/61/3	330'	4	448	*200'
6100	FK15/61/6	330'	6	291	
6125	FK15/84/6	330'	6	322	*500'
6125GRID	FK15/84/6GRID	330'	6	622	*500'
6115	FK17/75/3	330'	4	527	*200'
6007	FK17/75/6	330'	6	339	
6010	FK17/75/12	330'	6	242	
6455	FK20/96/3	330'	4	664	*200'
6452	FK20/96/6	330'	6	410	*500', 600"
6456	FK 20/96/12	330'	9	291	*600'
6601	FK23/120/6	330'	4	486	

How to Read Bull Barn Fence Item Numbers

FK 7/24/6 330'

FK - Fixed Knot (Abbreviation of Knot)

7 - Number of horizontal line wires

24 - Height of fence in inches

6 - Spacing of vertical wires in inches (width of opening)

330' - Length of roll in feet

Don't see the lengths of rolls you are looking for? Give us a call! We will do our best to get you the fence size you need. Office phone 724-675-8296.



Front







Back

Fastlock

Bull Barn Fastlock is the preferred woven wire fence for horses, sheep and goats. A smooth finish means avoiding scratched coats and hides, and a strong high-tensile wire means a durable and safe investment for your farm. Fastlock is a great choice for livestock.

HIGH-TENSILE
CLASS 3
GALVANIZED
12.5 GAUGE



Fastlock - 2"x4"

Horse Fence

Code	Item	Length	Per Pallet	Weight	Other Roll Sizes
9012	FL2/4/3' (FL10/36/2)	200'	6	180	*330'
9002	FL2/4/4' (FL13/48/2)	200'	6	237	*100', 300', 330'
9004	FL2/4/5' (FL16/60/2)	200'	6	290	*100', 330'
9006	FL2/4/6' (FL19/72/2)	200'	6	347	*100', 330'



Fastlock - 4"x4"

Sheep and Goat Fence

Code	Item	Length	Per Pallet	Weight	Other Roll Sizes
9026	FL4/4/2' (FL2/24/4)	330'	6	131	*500'
9016	FL4/4/3' (FL10/36/4)	330'	6	191	*500'
9033	FL4/4/4" (FL12/44/4)	330'	6	231	*500'
9008	FL4/4/4' (FL13/48/4)	330'	6	251	*100', 500'
9037	FL4/4/5' (FL16/60/4)	330'	6	310	*500'

For the fence pictured above, the first two numbers are the mesh size (2"x4" or 4"x4") and the last number is the height of the fence, in feet or inches. Fun Fact: FL refers to the Fastlock knot, which looks a bit like the letter S.

Fastlock - Graduated

Code	Item	Length	Per Pallet	Weight	Other Roll Sizes
9031	FL10/47/6	330'	6	172	*660'
7208	FL20/96/6	330'	6	338	





Graduated spacing means that the smaller mesh is at the bottom to help keep livestock in, especially those babies, and smaller wildlife out. It adds extra strength where it is needed most.



Hinge Joint

Bull Barn Fence's Hinge Joint is a tried-and-true field fence that flexes to accommodate hilly terrain or animal pressures, holding up without sagging. Graduated spacing keeps horizontal lines closer together at the bottom, which deters small animals from crawling under or through. The spacing is further apart at the top. Two-way tension crimps allow for a deep stretch that flexes over hills and valleys. This durable fence has a twenty-year warranty. Keep deer and predatory animals out; keep farm and ranch animals safely in.

**HIGH-TENSILE
CLASS 3
GALVANIZED
12.5 GAUGE**



Hinge Joint

Code	Item	Length	Per Pallet	Weight	Other Roll Sizes
9104	HJ8/32/6 12.5 gauge	330'	9	130	
9105	HJ9/39/6 12.5 gauge	330'	12	163	
9106DOT	HJ10/47/6 12.5gauge/T&B11g	330'	12	194	
-11gauge top and bottom wires; 12.5 gauge filler wire					
9101LC	HJ10/47/6 12.5gauge/T&B11g	330'	12	174	
-11gauge top and bottom wires; 12.5 gauge filler wire LOW CARBON WIRE					
9101LC	HJ10/47/6 14 gauge	330	12	115	660'
9108	HJ14/78/6 12.5gauge	330'	9	225	

How to Read Bull Barn Fence Item Numbers

HJ10/47/6 330'

HJ - Hinge Joint (Abbreviation of Knot)

10 - Number of horizontal line wires

47 - Height of fence in inches

6 - Spacing of vertical wires in inches


330' - Length of roll in feet

HJ 10/47/6 is made with different wire configurations. Departments of Transportation traditionally required a thicker gauge wire on the top and bottom. We make HJ10/47/6 with 12.5-gauge filler and 11-gauge top and bottom wire with both our high tensile, which has a tensile strength of 1300 PSI, and with Low Carbon, with a lower breaking strength. Low Carbon fence has the advantage of being lighter and easier to handle, but does elongate over time. Both types of wire feature Class 3 galvanization which will last 2.5 times longer than zinc coated wire. Additionally, we offer HJ10/47/6 in popular 14-gauge wire.

Marauder's Apron keeps animals from burrowing under the fence!

Marauder Fence

Bull Barn's Marauder Fence with a patented 16" apron or an 18" barbed apron is an exceptionally versatile exclusion fence. The apron can be folded to the inside or to the outside of the fence line, depending on the application. The apron is designed to lay on the ground to keep digging animals and predators at bay. The apron is attached with a hinged joint, allowing the fence to flex over terrain and under foot. The apron should be folded outside of the fence perimeter for livestock that could get hooves caught, such as shod equine. Marauder Fence comes in two knot designs: Fixed Knot or Fastlock.



Code	Item	Apron Size	Length	Per Pallet	Weight
6521	FK13/48/6	+16"	330'	6	322
6522	FK13/48/12	+16"	330'	9	233
6525	FK9/49/6	+16"	330'	5	378
7211	SK20/96/6	+18"	330'	7	405

Coated Wire

Coated wire fence provides all the strength of high-tensile wire and the safety of a smooth polyethylene coating. The polyethylene coating is UV stabilized and bonded to the high tensile wire. It has a break strength of 1,350lbs of pressure making a horse-safe solution that will last for years. Hotcote has electrically conductive lines through it and can be used with traditional fence chargers. Horsecote does not have the conductive lines for electricity. We offer white and black options for each type of fence in 1320' length coils.

Horse-safe coated wire

Code	Item	Length	Weight
5111	Horsecote White	1320'	50lbs
5110	Horsecote Black	1320'	50lbs

Horse-safe coated wire electrifiable

Code	Item	Length	Weight
5101	Hotcote White	1320'	50lbs
5100	Hotcote Black	1320'	50lbs



Smooth Wire

Bull Barn Fence Factory's super tough smooth wire coils are 190KSI, Class 3 Galvanized for a strong, rust-resistant fence. Smooth wire works well for perimeter fencing.

Code	Item	Length	Weight
5004	190KSI 12.5 gauge	2000' Coil	51lbs
5002	190KSI 12.5 gauge	4000' Coil	103lbs
5007	190KSI 14 gauge	5000' Coil	68lbs

Prewound Reels

This smooth, high-tensile line wire comes prewound on a handy wooden reel, making it easier to handle and easier to pay out when building fence. Great quality high-tensile wire with Class 3 Galvanizing.

Code	Item	Length	Weight
5201	180KSI 12.5 gauge	1320' on Reel	35lbs
5202	180KSI 12.5 gauge	2640' on Reel	70lbs

Brace Wire

Brace Wire comes in a thicker gauge for easier handling, but it is still high-tensile and Class 3 Galvanized to hold strong. These smaller and lighter coils are just what you need for this specific task.

Code	Item	Length	Weight
5005	9 gauge brace wire	170'	10lb coil





Bull Barn Fence Factory manufactures 4-point barbed wire fence. Our sturdy wooden carriers make toting rolls more manageable. Pull this wire nice and taut as it is made of high-tensile wire, tested to 1300 pounds of pressure. Class 3 Galvanization resists rust and extends the life of your fence. Our 4-point barbs are spaced 4" apart for 14 gauge wire and 5" apart for 15.5 gauge wire.

Barbed wire fence works well strung above woven wire fence to deter animal pressure from pushing down on the fence. We don't recommend stringing barbed wire fence so low that livestock could get a leg over the fence and get caught in it.

Code	Item	Length	Weight
5003	15.5 gauge wire	1320'	50lbs
5003-14	14 gauge wire	1320'	72lbs

📍 470 East Brown Street
Blairsville, PA 15717

📞 724 - 675 - 8296

🕒 Monday - Friday
8:00 - 5:00

bullbarnfence.com

[Visit Us on Facebook](#)



Bull Barn Fence Factory makes four sizes of staples—1.25", 1.5", 1.75" and 2". The 1.25" and the 1.5" are single barbs. The 1.75" and 2" are double barbed. Barbed sides help to prevent pulling out. All staples have right-hand cut, tapered staples.

Each sized staple is available in four quantities of packaging. The 2-pound is packaged in a rugged plastic jar, the 10-pound quantity comes in a lightweight plastic bucket. The 50-pound quantity features a handy, reusable metal bucket. The 300-pound quantity comes in a 4-foot-high plastic barrel with a screw top.

Code	Item	Quantity	Code	Item	Quantity
4015	2" Staple	2lb plastic jar	4017	1.5" Staple	2lb plastic jar
4002	2" Staple	10lb bucket	4008	1.5" Staple	10lb bucket
4001	2" Staple	50lb bucket	4007	1.5" Staple	50lb bucket
4003	2" Staple	300lb barrel	4009	1.5" Staple	300lb barrel
4016	1.75" Staple	2lb plastic jar	4014	1.25" Staple	2lb plastic jar
4005	1.75" Staple	10lb bucket	4020	1.25" Staple	10lb bucket
4004	1.75" Staple	50lb bucket	4021	1.25" Staple	50lb bucket
4006	1.75" Staple	300lb barrel	4022	1.25" Staple	300lb barrel



Gripples

Bull Barn Fence Factory carries the right Gripples for your fencing jobs. The Gripple T-Clips work great for end terminations. Medium Gripples are used to tension wires or repair lines. Using Gripples is easier than tying or twisting wire, and they hold the wire securely with interior serrated rollers.

Code	Item
8001	Gripple T-Clips (300/box)
8009	Medium Gripple (400/box)
8015	Gripple Speed Brace (40/box)

Brace Pins

Brace Pins, driven through brace posts and brace rails, add stability to this critical fence joint and add strength to the fence line. Our Brace Pins are Class 3 Galvanized to deter rust.

Code	Item
8006	Brace Pins 5" (100 pins/box)
8009	Brace Pins 10" (100 pins/box)

Crimp Sleeves

Crimp Sleeves join spliced wires tightly. Crimp Sleeves 2-3 work well for 12.5-gauge wire.

Code	Item
4100	Crimp Sleeves 2-3 (100/bottle)





Introducing the new FastFencer to carry 3 rolls of woven wire

Build Stronger, Longer, and Faster!

Streamline your rural fencing projects, reduce labor costs, and increase speed and safety on the job with the FastFencer. The innovative FastFencer builds strong fences in a fraction of the time, all while minimizing physical strain.



Fixed Knot Fencing



Hinged Joint Fencing




Fastlock Fencing



The ultimate solution for farmers and fencing contractors across the USA.

If you're looking to streamline your rural fencing projects, reduce labor costs, and increase safety on the job, the FastFencer is your go-to tool. With its innovative design, this equipment ensures you build stronger fences in a fraction of the time, all while minimizing physical strain.



Height: 63" | Width: 94.5" | Weight: 1200 LBS

SKID STEER BRACKET COMPATIBLE

Why Choose FastFencer?

✓ **Save on Labor Costs**

The FastFencer dramatically reduces the number of hands needed on-site by handling three rolls of woven wire fence to unroll smoothly to get the job done.

✓ **Boost efficiency**

No more manual handling of heavy woven wire rolls. The FastFencer allows you to lift woven wire fence rolls from 32" to 61" high and up to 1,320' long in a single go. The FastFencer is ideal for larger projects.

✓ **Fence in Either Direction**

With clamps on both sides, the FastFencer can dispense wires on either side of the fence line, making it easier to navigate around your ranch or property.

✓ **Simple, Fast Operation**

Just load the woven wire rolls, tie the fence off to the first post, and then—from the comfort of the tractor or skid steer cab—pay out the roll. Once you reach the termination point, simply clamp, tension, and tie off.

Woven Wire, Barbed Wire, Barbed Staples, FastFencer....



Bull Barn Fence Factory's innovative manufacturing produces top-quality woven wire fence in three knot types: Fixed Knot, Fastlock Knot, and Hinge Joint Knot. Production efficiencies and hard-working American staff allow us to bring reliably strong fence products to protect your livestock and property. We are here to help. Reach out and chat with our friendly sales personnel for more information on the entire line of Bull Barn Fence Factory's products and services.

470 East Brown Street
Blairsville, PA 15717

Office: 724-675-8296
BullBarnFence.com

Monday-Friday: 8:00-5:00
Visit us on Facebook